ELSEVIER

Molecular Brain Research 23 (1994) 359–360

MOLECULAR BRAIN RESEARCH

Author Index

Acs, G., Palkovits, M. and Blumberg, P.M.
[^{3}H]Resiniferatoxin binding by the human vanilloid (capsaicin) receptor (23) 185
Ådén, U., Lindström, K., Bona, E., Hagberg, H. and Fredholm, B.B.
Changes in adenosine receptors in the neonatal rat brain following hypoxic ischemia (23) 354
Allen, J.M., see Balbi, D. (23) 310

Bachelot, T., see Bal, A. (23) 204
Bal, A., Bachelot, T., Savasta, M., Manier, M., Verna, J.M., Benabid, A.L. and Feuerstein, C.
Evidence for dopamine D_2 receptor mRNA expression by striatal astrocytes in culture: in situ hybridization and polymerase chain reaction studies (23) 204
Balbi, D. and Allen, J.M.
Role of protein kinase C in mediating NGF effect on neuropeptide Y expression in PC12 cells (23) 310
Benabid, A.L., see Bal, A. (23) 204
Bengzon, J., see Kokaia, M. (23) 323
Bettini, E., Porta, A.R., Dahmen, N., Wang, H. and Margolis, F.L.
Expressed sequence tags (EST) identify genes preferentially expressed in catfish chemosensory tissues (23) 285
Black, J.A., Yokoyama, S., Waxman, S.G., Oh, Y., Zur, K.B., Sontheimer, H., Higashida, H. and Ransom, B.R.
Sodium channel mRNAs in cultured spinal cord astrocytes: in situ hybridization in identified cell types (23) 235
Black, J.A., see Oh, Y. (23) 57
Blanco, E., see Skutella, T. (23) 179
Bloch, B., see Jaber, M. (23) 14
Blumberg, P.M., see Acs, G. (23) 185
Boddeke, H.W.G.M., see Buttini, M. (23) 126
Bogerd, J., Li, K.W., Jiménez, C.R., Van der Schors, R.C., Ebberink, R.H.M. and Geraerts, W.P.M.
Processing, axonal transport and cardioregulatory functions of peptides derived from two related prohormones generated by alternative splicing of a single gene in identified neurons VD1 and RPD2 of *Lymnaea* (23) 66
Bolwig, T.G., see Mikkelsen, J.D. (23) 317
Bona, E., see Ådén, U. (23) 354
Bravo, R., see Gass, P. (23) 292
Bravo, R., see MacGibbon, G.A. (23) 21
Bronstein, D.M., Ye, H., Pennypacker, K.R., Hudson, P.M. and Hong, J.-S.
Role of a 35 kDa fos-related antigen (FRA) in the long-term induction of striatal dynorphin expression in the 6-hydroxydopamine lesioned rat (23) 191
Buttini, M., Sauter, A. and Boddeke, H.W.G.M.
Induction of interleukin-1β mRNA after focal cerebral ischaemia in the rat (23) 126

Cannon, M.M., see Peña de Ortiz, S. (23) 277
Chang, S., see Mack, K.J. (23) 73
Chiu, S.-Y., see Mack, K.J. (23) 73
Cox, H., see Kishimoto, J. (23) 33
Curran, G.L., see Poduslo, J.F. (23) 157

Dahmen, N., see Bettini, E. (23) 285
Dal Toso, R., see Zanellato, A. (23) 299
Donaldson, L.F., see Olsson, T. (23) 349
Dragunow, M., see MacGibbon, G.A. (23) 21

Ebberink, R.H.M., see Bogerd, J. (23) 66
Eggen, B.J.L., Nielander, H.B., Rensende Leeuw, M.G.A., Schotman, P., Gispen, W.H. and Schrama, L.H.
Identification of two promoter regions in the rat B-50/GAP-43 gene (23) 221
Elmér, E., see Kokaia, M. (23) 323
Emson, P.C., see Kishimoto, J. (23) 33
Engel, J.D., see Kornhauser, J.M. (23) 100

Facci, L., see Zanellato, A. (23) 299
Feuerstein, C., see Bal, A. (23) 204
Fournier, M.C., see Jaber, M. (23) 14
Fredholm, B.B., see Ådén, U. (23) 354
Fritschy, J.-M., see Kokaia, M. (23) 323

Gannon, R.L. and Rea, M.A.
In situ hybridization of antisense mRNA oligonucleotides for AMPA, NMDA and metabotropic glutamate receptor subtypes in the rat suprachiasmatic nucleus at different phases of the circadian cycle (23) 338
Garey, L.J., see Ong, W.Y. (23) 151
Gass, P., Herdegen, T., Bravo, R. and Kiessling, M.
High induction threshold for transcription factor KROX-20 in the rat brain: partial co-expression with heat shock protein 70 following limbic seizures (23) 292
Geraerts, W.P.M., see Bogerd, J. (23) 66
Giagnoni, G., see Rubino, T. (23) 333
Gispen, W.H., see Eggen, B.J.L. (23) 221
Gonzalez, A.M. and Uhl, G.R.
'Choline/orphan V8-2-1/creatine transporter' mRNA is expressed in nervous, renal and gastrointestinal systems (23) 266
Goto, K., Iwamoto, T. and Kondo, H.
Localization of mRNAs for calpain and calpastatin in the adult rat brain by in situ hybridization histochemistry (23) 40
Gwag, B.J., see Springer, J.E. (23) 135

Hagberg, H., see Ådén, U. (23) 354
Henriksson, B.G., see Olsson, T. (23) 349
Herdegen, T., see Gass, P. (23) 292
Higashida, H., see Black, J.A. (23) 235
Hong, J.-S., see Bronstein, D.M. (23) 191
Howells, R.D., see Tirumalai, P.S. (23) 144
Hudson, P.M., see Bronstein, D.M. (23) 191

Ingenito, A.J., see Wang, J.Q. (23) 345
Iwamoto, T., see Goto, K. (23) 40

Jaber, M., Tison, F., Fournier, M.C. and Bloch, B.
Differential influence of haloperidol and sulpiride on dopamine receptors and peptide mRNA levels in the rat striatum and pituitary (23) 14
Jamieson Jr., G.A., see Peña de Ortiz, S. (23) 277
Janavs, J.L., Pierce, M.E. and Takahashi, J.S.
RNA synthesis inhibitors increase melatonin production in Y79 human retinoblastoma cells (23) 47
Jayaraman, A., see Kiba, H. (23) 1
Jiménez, C.R., see Bogerd, J. (23) 66
Jirikowski, G.F., see Skutella, T. (23) 179

Kawai, Y., see Umemoto, S. (23) 93
Kent, C., see McKinney, M. (23) 213
Keverne, E.B., see Kishimoto, J. (23) 33
Kiba, H. and Jayaraman, A.
Nicotine induced c-*fos* expression in the striatum is mediated mostly by dopamine D_1 receptor and is dependent on NMDA stimulation (23) 1
Kiessling, M., see Gass, P. (23) 292
Kishimoto, J., Cox, H., Keverne, E.B. and Emson, P.C.
Cellular localization of putative odorant receptor mRNAs in olfactory and chemosensory neurons: a non radioactive in situ hybridization study (23) 33
Kokaia, M., Pratt, G.D., Elmér, E., Bengzon, J., Fritschy, J.-M., Kokaia, Z., Lindvall, O. and Mohler, H.
Biphasic differential changes of $GABA_A$ receptor subunit mRNA levels in dentate

gyrus granule cells following recurrent kindling-induced seizures (23) 323
Kokaia, Z., see Kokaia, M. (23) 323
Kondo, H., see Goto, K. (23) 40
Kornhauser, J.M., Leonard, M.W., Yamamoto, M., LaVail, J.H., Mayo, K.E. and Engel, J.D.
Temporal and spatial changes in GATA transcription factor expression are coincident with development of the chicken optic tectum (23) 100
Kragh, J., see Mikkelsen, J.D. (23) 317
Kriegler, S., see Mack, K.J. (23) 73

Larsen, P.J., see Mikkelsen, J.D. (23) 317
LaVail, J.H., see Kornhauser, J.M. (23) 100
Lawlor, P.A., see MacGibbon, G.A. (23) 21
Leonard, M.W., see Kornhauser, J.M. (23) 100
Li, K.W., see Bogerd, J. (23) 66
Li, S., see Wang, J.Q. (23) 345
Lindström, K., see Ådén, U. (23) 354
Lindvall, O., see Kokaia, M. (23) 323

MacGibbon, G.A., Lawlor, P.A., Bravo, R. and Dragunow, M.
Clozapine and haloperidol produce a differential pattern of immediate early gene expression in rat caudate-putamen, nucleus accumbens, lateral septum and islands of Calleja (23) 21
Mack, K.J., Kriegler, S., Chang, S. and Chiu, S.-Y.
Transcription factor expression is induced by axonal stimulation and glutamate in the glia of the developing optic nerve (23) 73
Manier, M., see Bal, A. (23) 204
Margolis, F.L., see Bettini, E. (23) 285
Massi, P., see Rubino, T. (23) 333
Mayo, K.E., see Kornhauser, J.M. (23) 100
McGinty, J.F., see Wang, J.Q. (23) 345
McKinney, M. and Kent, C.
Differential expression of GAP-43 mRNA in adult central cholinergic neuronal populations (23) 213
McKinney, M., see Sugaya, K. (23) 111
Mengod, G., see Pompeiano, M. (23) 163
Merchant, K.M. and Miller, M.A.
Coexpression of neurotensin and c-*fos* mRNAs in rat neostriatal neurons following acute haloperidol (23) 270
Mhatre, M. and Ticku, M.K.
Chronic ethanol treatment upregulates the GABA receptor β subunit expression (23) 246
Mikkelsen, J.D., Woldbye, D., Kragh, J., Larsen, P.J. and Bolwig, T.G.
Electroconvulsive shocks increase the expression of neuropeptide Y (NPY) mRNA in the piriform cortex and the dentate gyrus (23) 317
Miller, M.A., see Merchant, K.M. (23) 270
Mohammed, A.H., see Olsson, T. (23) 349
Mohler, H., see Kokaia, M. (23) 323

Nappey, V., see Quirin-Stricker, C. (23) 253
Nielander, H.B., see Eggen, B.J.L. (23) 221
Noguchi, K., see Umemoto, S. (23) 93

Oh, Y., Black, J.A. and Waxman, S.G.
The expression of rat brain voltage-sensitive Na^+ channel mRNAs in astrocytes (23) 57
Oh, Y., see Black, J.A. (23) 235
Olsson, T., Mohammed, A.H., Donaldson, L.F., Henriksson, B.G. and Seckl, J.R.
Glucocorticoid receptor and NGFI-A gene expression are induced in the hippocampus after environmental enrichment in adult rats (23) 349
Ong, W.Y., Garey, L.J. and Sumi, Y.
Distribution of preprosomatostatin mRNA in the rat parietal and temporal cortex (23) 151

Palacios, J.M., see Pompeiano, M. (23) 163
Palkovits, M., see Acs, G. (23) 185
Parolaro, D., see Rubino, T. (23) 333
Patrini, G., see Rubino, T. (23) 333
Peña de Ortiz, S., Cannon, M.M. and Jamieson Jr., G.A.
Expression of nuclear hormone receptors within the rat hippocampus: identification of novel orphan receptors (23) 277
Pennypacker, K.R., see Bronstein, D.M. (23) 191
Petrelli, L., see Zanellato, A. (23) 299
Pierce, M.E., see Janavs, J.L. (23) 47
Poduslo, J.F. and Curran, G.L.
Glycation increases the permeability of proteins across the blood–nerve and blood–brain barriers (23) 157
Pompeiano, M., Palacios, J.M. and Mengod, G.
Distribution of the serotonin 5-HT_2 receptor family mRNAs: comparison between 5-HT_{2A} and 5-HT_{2C} receptors (23) 163
Porta, A.R., see Bettini, E. (23) 285
Pratt, G.D., see Kokaia, M. (23) 323
Probst, J.C., see Skutella, T. (23) 179

Quirin-Stricker, C., Nappey, V., Simoni, P., Toussaint, J.L. and Schmitt, M.
Trans-activation by thyroid hormone receptors of the 5′ flanking region of the human ChAT gene (23) 253

Ransom, B.R., see Black, J.A. (23) 235
Rea, M.A., see Gannon, R.L. (23) 338
Rensen-de Leeuw, M.G.A., see Eggen, B.J.L. (23) 221
Roebroek, A.J.M., see Van de Velde, H.J.K. (23) 81
Rubino, T., Massi, P., Patrini, G., Venier, I., Giagnoni, G. and Parolaro, D.
Effect of chronic exposure to naltrexone and opioid selective agonists on G protein mRNA levels in the rat nervous system (23) 333

Sauter, A., see Buttini, M. (23) 126
Savasta, M., see Bal, A. (23) 204
Schmitt, M., see Quirin-Stricker, C. (23) 253
Schotman, P., see Eggen, B.J.L. (23) 221
Schrama, L.H., see Eggen, B.J.L. (23) 221
Seckl, J.R., see Olsson, T. (23) 349
Senba, E., see Umemoto, S. (23) 93
Sessler, F.M., see Springer, J.E. (23) 135
Simoni, P., see Quirin-Stricker, C. (23) 253
Skaper, S.D., see Zanellato, A. (23) 299
Skutella, T., Probst, J.C., Blanco, E. and Jirikowski, G.F.
Localization of tyrosine hydroxylase mRNA in the axons of the hypothalamo-neurohypophysial system (23) 179
Sontheimer, H., see Black, J.A. (23) 235
Springer, J.E., Gwag, B.J. and Sessler, F.M.
Neurotrophic factor mRNA expression in dentate gyrus is increased following in vivo stimulation of the angular bundle (23) 135
Sugaya, K. and McKinney, M.
Nitric oxide synthase gene expression in cholinergic neurons in the rat brain examined by combined immunocytochemistry and in situ hybridization histochemistry (23) 111
Sumi, Y., see Ong, W.Y. (23) 151

Takahashi, J.S., see Janavs, J.L. (23) 47
Ticku, M.K., see Mhatre, M. (23) 246
Tirumalai, P.S. and Howells, R.D.
Regulation of calbindin-D_{28K} gene expression in response to acute and chronic morphine administration (23) 144
Tison, F., see Jaber, M. (23) 14
Toussaint, J.L., see Quirin-Stricker, C. (23) 253

Uhl, G.R., see Gonzalez, A.M. (23) 266
Umemoto, S., Noguchi, K., Kawai, Y. and Senba, E.
The expression of neuropeptides and their mRNAs in the trigeminal mesencephalic nucleus following masseteric nerve transection (23) 93

Van der Schors, R.C., see Bogerd, J. (23) 66
Van de Velde, H.J.K., Roebroek, A.J.M., Van Leeuwen, F.W. and Van de Ven, W.J.M.
Molecular analysis of expression in rat brain of NSP-A, a novel neuroendocrine-specific protein of the endoplasmic reticulum (23) 81
Van de Ven, W.J.M., see Van de Velde, H.J.K. (23) 81
Van Leeuwen, F.W., see Van de Velde, H.J.K. (23) 81
Venier, I., see Rubino, T. (23) 333
Verna, J.M., see Bal, A. (23) 204

Wang, H., see Bettini, E. (23) 285
Wang, J.Q., Li, S., Ingenito, A.J. and McGinty, J.F.
A Deficit in preprodynorphin mRNA expression in hippocampus of spontaneously hypertensive rats (23) 345
Waxman, S.G., see Black, J.A. (23) 235
Waxman, S.G., see Oh, Y. (23) 57
Woldbye, D., see Mikkelsen, J.D. (23) 317

Yamamoto, M., see Kornhauser, J.M. (23) 100
Ye, H., see Bronstein, D.M. (23) 191
Yokoyama, S., see Black, J.A. (23) 235

Zanellato, A., Facci, L., Petrelli, L., Dal Toso, R. and Skaper, S.D.
Characterization and growth-dependent regulation of the nerve growth factor receptor $gp140^{trk}$ in rat C6 glioma cells (23) 299
Zur, K.B., see Black, J.A. (23) 235